


DECKING 3060




$$I_x = 2.09 \text{ in.}^4$$

$$S_x = 1.39 \text{ in.}^3$$

SPAN(ft)	8	9	10	11	12	13	14
STRESS LIMIT (psf)	217	172	139	115	97	82	71
DEFLECTION (psf @ L/180)	121	85	62	47	36	28	23

DECKING 3080




$$I_x = 2.64 \text{ in.}^4$$

$$S_x = 1.73 \text{ in.}^3$$

SPAN(ft)	9	10	11	12	13	14	15
STRESS LIMIT (psf)	214	173	143	120	102	88	77
DEFLECTION (psf @ L/180)	107	78	59	45	36	29	23

DECKING 3080-S



$$I_x = 2.45 \text{ in.}^4$$

$$S_x = 1.22 \text{ in.}^3$$

SPAN(ft)	9	10	11	12	13	14	15
STRESS LIMIT (psf)	151	122	101	85	72	62	54
DEFLECTION (psf @ L/180)	100	73	55	42	33	26	22

ALL ALUMINUM IS 6063-T6



Perfection Architectural Systems, Inc

Service, Quality, Reliability.

2310 Mercator Drive, Orlando, FL 32807
 407.671.6225 / 800.238.7207 Fax: 407.671.8252
www.perfectionarch.com

Extruded Deck 1 of 2